GREEN TECHNOLOGY Metals

Building the pre-eminent vertically integrated lithium business in Ontario

April 2022

ASX:GT1

1. END USERS Who's supplying the Lithium? China





1. FAST-TRACKED Ontario government are onboard



Critical Minerals Strategy to unleash Ontario's mineral potential

NATIONAL*POST

News / Canadian Politics / Canada

Canada to spend \$2B on mineral strategy for EV battery supply chain

Justin Trudeau's government will release its federal budget this week



"The Critical Minerals Strategy is our government's blueprint to connect industries, resources and workers in our province's north to the future of manufacturing in the south as we build up home-grown supply chains."

- Ontario Premier, Doug Ford





Unlocking potential to drive economic prosperity and create jobs







BUILDING pre-eminent vertically integrated lithium business

Investment highlights



FLAGSHIP SEYMOUR MINE PROJECT

Aggressive three-phase drilling program to rapidly build critical-mass resource inventory and progress to mine evaluation



BEST-IN-CLASS LITHIUM TEAM

Board and management team with proven track record of rapidly advancing and delivering lithium projects globally



FAST-TRACKED VERTICAL LITHIUM DEVELOPMENT

Baseline environmental and mine permitting studies commenced with multiple LiOH converter sites selected and optioned in Thunder Bay



LOW CARBON LITHIUM

Ontario's extensive hydro power generation supports strong capability to deliver highly demanded, low carbon lithium products



EXTENSIVE RESOURCE UPSIDE

Multiple potential lithium mine projects to be advanced across a large-scale, strategic Ontario landholding

BUILDING A vertically integrated lithium business

High-grade projects and a large-scale strategic footprint¹

SEYMOUR

Aggressive three-phase drilling program; resource update Q2 CY22 **Mineral Resource: 4.8 Mt @ 1.25% Li₂O²** Exploration Target: 22 – 26 Mt @ 0.8-1.5% Li₂O

ROOT

Dense pegmatite swarm on a granted mining lease Exploration Target: 20 – 24 Mt @ 0.8-1.5% Li₂0

WISA

Large, under-explored tenement base covering 18.9 km² Exploration Target: 8 - 10 Mt @ 0.8 - 1.5 % Li_20

ALLISON

Highly prospective Archean Greenstone tenure

Total GT1 land package expanded from 9kHa to 35kHa

The potential quantity and grade of Exploration Targets is conceptual in nature, there has been insufficient exploration to estimate a Mineral Resource in these areas and it is uncertain if further exploration will result in the estimation of a Mineral Resource in these areas. See Appendix: Exploration Targets.



6



1. The Company holds a 80% interest in the Ontario Lithium Projects (Seymour, Root and Wisa) under a joint venture with Ardiden Limited (ASX: ADV)

2. For full details of Mineral Resources estimates, please refer to ASX release dated 8 November 2021, "Prospectus". Green Technology Metals confirms that it is not aware of any new information or data that material materially affects the information included in the Prospectus. All material assumptions and technical parameters underpinning the estimates in those releases continue to apply and have not materially changed.

1. BEST-IN-CLASS Lithium Team



Proven track record of rapidly advancing and delivering lithium projects globally

BOARD OF DIRECTORS

Non-Executive Chairman

- Highly experienced geologist
- Co-founder and Executive Director of Pilbara Minerals Ltd
- Current Non-Executive Director of RareX and Trek Metals

CAMERON HENRY

- Non-Executive Director
- Founding MD of Primero Group
- Over 20 years experience in development and delivery of global minerals processing, energy and NPI projects

PATRICK MURPHY

Non-Executive Director

- Managing Director at AMCI Group, an experienced investment firm with a portfolio of exploration and development interests
- 14 years experience at AMCI and investment bank , Macquarie

ROB LONGLEY

Non-Executive Director

- Geologist with +20 years experience in global resources across a range of commodities
- CEO/MD of Ardiden, previous GM Geology at Sundance Resources

KEY STRATEGIC PARTNERS



- Vertically integrated engineering group specialising in end-toend delivery of global resource projects
- History of successfully designing, building and operating spodumene processing and conversion facilities globally



- Invests in and operates natural resources, transportation, infrastructure, metals and energy businesses
- Expertise in supporting expansion, mergers and acquisitions and operational enhancements

SUBSTANTIAL ALIGNMENT BENEFITS INCLUDE:

- ✓ Direct access to globally leading expertise in:
 - Lithium processing and conversion facilities design and construction
 - Mine financing and development activities
- \checkmark Accelerated internal study work timeframes and capability
- ✓ Access to extensive global relationship networks



1. BEST-IN-CLASS Lithium Team

With a well established operations hub in Ontario, Canada

MANAGEMENT TEAM

LUKE COX

Chief Executive Officer

- Geologist and mine manager with 25 years industry experience including Li, Ni and Co projects and operations
- Led global exploration, mining and financing initiatives

MATT HERBERT

General Manager, North America

- Exploration Manager and OPF Processing Manager with +20 years experience
- 14 years with Rio Tinto and FMG in management roles

ANDREA JOHNSTONE

ESG Manager, North America

NATHAN SIMS

•

Exploration Manager

- Environment and governance managerial experience across large scale mining operations in Australia and Canada
- +10 years with FMG in management roles
 - Exploration Manager specialising in the Ontario Green Stone belt with prior experience in GT1 projects
- +15 years managing exploration projects in Thunder Bay, Ontario





Rapidly building critical-mass resource inventory

- Existing Mineral Resource of **4.8 Mt @ 1.25%** Li_20 and 186ppm $Ta_20_5^{-1}$
- Exploration target of **22 26 Mt @ 0.8–1.5%** Li₂0 within 7km of strike

The potential Exploration Target quantity and grade is conceptual in nature, there has been insufficient exploration to estimate a Mineral Resource in these areas and it is uncertain if further exploration will result in the estimation of a Mineral Resource. See Appendix: Exploration Target.

- Trans-continental rail adjacent to southern end of the tenement
- Located within 8km of proposed Jackfish hydro electric project
- Environmental and mining baseline studies underway to fast-track development
- Metallurgical bulk samples produced high-quality coarse spodumene
- Aggressive three-phase drill program advancing
- Phase 1 update to current Mineral Resource on track for Q2 2022









 For full details of Mineral Resources estimates, please refer to ASX release dated 8 November 2021, "Prospectus". Green Technology Metals confirms that it is not aware of any new information or data that materially affects the information included in the Prospectus. All material assumptions and technical parameters underpinning the estimates in those releases continue to apply and have not materially changed.

Phase 1 and 2 drilling programs at broader Aubry system



- North Aubry resource: 4.8 Mt @ 1.5% $\rm Li_2O^1$
- Expanded 16-hole, 5,895km step-out drill program (Phase 1) completed at North Aubry
- Evaluating open and untested along-strike and up to 150m down-dip extensions
- Maiden intercept of 40m @ 1.54% Li₂0 (from 244m downhole) confirms continuity beyond existing Mineral Resource estimate²
- Phase 2, 31-hole, 5,100km program at Central Aubry zone recently commenced
- No existing Mineral Resource estimate for Central Aubry zone





1. For full details of Mineral Resources estimates, please refer to ASX release dated 8 November 2021, "Prospectus". Green Technology Metals confirms that it is not aware of any new information or data that materially affects the information included in the Prospectus . All material assumptions and technical parameters underpinning the estimates in those releases continue to apply and have not materially changed

2. Refer ASX announcement 17 January 2022, "Thick 40m intersection at 1.54% L20 confirms significant upside potential"

Li

Phase 3 Pye prospect exploration drill out



- Pye prospect located approx. 1km east of the Aubry system
- Completely untested prospect, no existing Mineral Resource estimate
- Recently commenced Phase 3, 26-hole, 2,000m drill program at Pye
- Initial target for drilling is the LCT pegmatite which is exposed at surface with dimensions approx. 18m wide, 84m long, striking in a NE-SW direction and mapped as sub-vertical¹



^{1.} Refer ASX announcement 17 March 2022, "Seymour Drilling Updat



2. FLAGSHIP Drilling, Studies, First Nations

Significant progress since listing in November 2021



Early exploration agreement signed with Whitesand First Nation ESG and First Nation Manager appointed and mobilised to site



Baseline environmental and permitting study work commenced Set to deliver potential for accelerated lithium project development



Phase 1 step-out drilling at North Aubry complete Extensional diamond drilling cores submitted for assay



Strong mineralised intervals intersected in first three holes assayed Results to be incorporated into a scheduled update of current Mineral Resource estimate



Phase 2 Central Aubry drilling commenced Planned 31 holes for 5,100 meters



Phase 3 Pye prospect exploration drilling program accelerated Planned 26 holes for 2,000 meters



Ramped up to 80% ownership in the Seymour, Root and Wisa Projects Via the exercise of highly in-the-money option held since listing







Attractive metallurgy with demonstrated ability to produce coarse grained SC6

- Seymour bulk samples concentrated >7% Li20 confirming a clean SC6 product with strong recoveries and low deleterious elements.
- Seymour SC6 concentrate was converted to battery grade Lithium Carbonate at 99.52% Li2CO3
- Coarse product produced preferable for downstream processing
- Primero desktop study highlighted:
 - Simple flow sheet design DMS only
 - Low capital and operating expenditure
 - High recoveries and high concentrate grades





Seymour Pegmatite (1.25% Li20) Bulk sample PIT TO PRODUCT Concentrate Carbonate Carbonate



3. FAST-TRACKED Vertical lithium development

To deliver a fully integrated lithium extraction, processing and conversion chain





SPODUMENE CONCENTRATE

Mines and spodumene processing capacity



Flagship Seymour mine and processing plant



Additional GT1 mining operation(s) feeding expanded processing capacity



Potential third party spodumene concentrate

LITHIUM HYDROXIDE

Thunder Bay/Ontario lithium converter



Train 1: Initial 30 ktpa LiOH chemical plant



Train 2: Upgrade **30 - 60 ktpa LiOH** chemical plant



Train 3: Scale to >60 ktpa LiOH chemical plant



* The above figures are processing capacities that will be investigated by the Company as part of its future feasibility study, which the Company is aiming to complete in H2 CY23

3. FAST-TRACKED Vertical lithium development



Three potential converter sites in Thunder Bay selected and under negotiation

- Desktop studies commenced on:
 - Spodumene **concentration** plant at Seymour Mine
 - Downstream LiOH conversion facility in Thunder Bay
- Over 50 potential heavy industry locations for lithium conversion facility in Thunder Bay identified and considered
- Numerous available regional port facilities
- Three key sites selected and under negotiation





Data Reference Source: http://www.ieso.ca/power-data/supply-overview/transmission-connected-generation 16

4. LOW CARBON Lithium

Low carbon process footprint enabled by Ontario's green power network

- Targeting the supply of highly competitive lithium products across all key dynamics: quality, cost, environmental, emissions, community
- Proximate to Hydro One hydro power interconnector providing access to environmentally responsible power
 - SC6 Concentrator
 - Thunder Bay Converter
- Evaluating combination of process water recycling technologies and dry tailing stacking to minimise fresh water consumption
- Ontario hosts a thriving agricultural industry that supports other industries such as mining with biofuels and seasonal staff
- Recent roll-out of the 2022 EU taxonomy for renewable power and sustainable finance will enable major private investment across the Lithium/EV space







4. LOW CARBON Lithium

On the doorstep of the recently announced US\$4.1B lithium-ion battery production plant



Ideally positioned within the Ontario battery ecosystem to become the local lithium supplier of choice





Root boasts significant along-strike and down-dip potential

• Exploration target **20 to 24 Mt @ 0.8 to 1.5% Li₂0**

The potential quantity and grade is conceptual in nature, there has been insufficient exploration to estimate a Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource. See Appendix Exploration target

- Down dip grade continuity test confirmed 67m @ 1.7% Li₂0¹
- Patented Claims (landowner) over McCombe have simplified development process
- Implicit modelling has highlighted a pegmatite swarm with significant widths and grade at McCombe
- Planned drilling program in H2 CY22



1. Refer to ASX release dated 8 November 2021, "Prospectus". Green Technology Metals confirms that it is not aware of any new information or data that materially affects the information included in the Prospectus. All material assumptions and technical parameters underpinning the estimates in those releases continue to apply and have not materially changed.



Allison Batholith highly prospective for lithium

- Highly prospective for evolved Lithium type pegmatites
- Numerous pegmatite swarms mapped along logging roads, with more to be mapped
- F.W. Breaks commented
 - "The Allison Lake batholith represents an important **new exploration target** for rareelement mineralization and is the **largest** such granite thus far documented in **Ontario**."¹
- Ouroboros Pegmatites hosting **spodumene** mineralisation were located, proving lithium rich pegmatites exist in the corridor







Wisa is strategically located 8km from the US border

- Tenement base that covers 18.9km², historically an under-explored area
- Exploration target 8 10 Mt @ 0.8 to 1.5% Li₂0

The potential quantity and grade is conceptual in nature, there has been insufficient exploration to estimate a Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource. See Appendix Exploration target

- **Multiple zones –** North Zone displays sheeted south dipping pegmatites open at depth and South Zone displays dipping pegmatites
- Accessible established all seasons road 40km from Trans Canadian Highway





Expanded 35kHa total land package with limited historical exploration

N

100 km

Kenora

Perry

- Phase 1, 2 and 3 of the ongoing drill program at Seymour is expected cover a total 73 holes and ~13,000 km and deliver significant progressive upgrades to the existing **Mineral Resource estimate**
- Early assay results have **affirmed** • **prospective nature** of GT1's original claims
- Secured additional claims around Seymour • and Root, the new Allison prospect and Solstice claims (containing the project areas Pennock Lake, Root Bay, Superb Lake and Gathering Lake)
- Accelerated, targeted exploration across the • broader project portfolio provides outstanding potential to further grow resources rapidly and substantially







5. FAST-TRACKED Vertical lithium development



Targeted Feasibility Study completion in H2 CY23 and early works commencing early CY24





The timetable is indicative and subject to change

INVESTMENT Highlights



BEST-IN-CLASS LITHIUM TEAM

Board and management team with proven track record of rapidly advancing and delivering lithium projects globally



FLAGSHIP SEYMOUR MINE PROJECT

Aggressive three-phase drilling program to rapidly build critical-mase resource inventory and progress to mine evaluation



FAST-TRACKED VERTICAL LITHIUM DEVELOPMENT

Baseline environmental and mine permitting studies commenced with multiple LiOH converter sites selected and optioned in Thunder Bay



LOW CARBON LITHIUM

Ontario's extensive hydro power generation supports strong capability to deliver highly demanded, low carbon lithium products



EXTENSIVE RESOURCE UPSIDE

Multiple potential lithium mine projects to be advanced across a large-scale, strategic Ontario landholding



CONTACT Details

CHIEF EXECUTIVE OFFICER

Luke Cox

Unit 6/94 Rokeby Rd, Subiaco Perth, Western Australia 6008 Email: luke@greentm.com.au

INVESTOR RELATIONS AND MEDIA

Fivemark Partners

Email: andrew.edge@fivemark.com.au

SHARE REGISTRY

Automic Group

Email: hello@automic.com.au



www.greentm.com.au

APPENDIX Resource estimate

Seymour Mine Project

Seymour ¹				
Area	Category	Mt	Li ₂ 0(%)	Ta ₂ O ₅ (ppm)
North Aubry	Indicated	2.13	1.29	210
North Aubry	Inferred	1.70	1.50	189
South Aubry	Inferred	1.00	0.80	128
Total		4.83	1.25	186

1. For full details of Mineral Resources estimates, please refer to ASX release dated 8 November 2021, "Prospectus". Green Technology Metals confirms that it is not aware of any new information or data that materially affects the information included in the Prospectus. All material assumptions and technical parameters underpinning the estimates in those releases continue to apply and have not materially changed.



APPENDIX Exploration targets

Qualifying Statement for the Exploration Targets

The potential quantity and grade is conceptual in nature, there has been insufficient exploration to estimate a Mineral Resource and it is uncertain if further exploration will result in the estimation of a Mineral Resource

Geological Setting

All the Claims (Seymour, Root & Wisa) host lithium bearing pegmatites which sit within the fractioned lithium zone close to their magmatic source

Strike

Drilling, surface sampling, aerial ortho-mosaics and topographic mapping (LiDAR) have been used to determine the approximate strike length of the pegmatites

Depth

Drilling at Seymour and Root have confirmed the pegmatites can exceed 250m in depth, thus a depth of 500m has been applied

Thickness

Implicit Modelling has been utilised to determine the thickness of the pegmatites and then extrapolated along strike and down dip using the parameters mentioned above

Tonnage

Specific gravity of 2.78 has been applied to the implicit model volumes to determine the tonnage

Grade

The Seymour JORC Resource hosted Inferred grades ranging from 0.8 to 1.5% Li₂0, this has been used for the Exploration Targets

Exploration Activities

All exploration targets will be tested by field mapping and drilling over a period of 24 months



APPENDIX Competent Persons Statement

The information in this presentation that relates to Exploration Results and Mineral Resources for the projects in which the Company has tenure over was first released in the Company's prospectus lodged with ASIC on 16 September 2021 (Prospectus) in respect of its initial public offer of shares on ASX. The Company confirms that it is not aware of any new information or data that materially affects the information in the Prospectus and that the material assumptions and technical parameters underpinning the Mineral Resource continue to apply and have not materially changed.

The information in this Presentation that relates to the Exploration Target at Seymour is based on activities carried out by Mr Luke Cox. Mr Cox has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and the activity they are undertaking to qualify as Competent Persons as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code 2012). Mr Cox consents to the inclusion in this Presentation of the matters based on the information in the form and context in which it appears in this Presentation. Mr Cox is the Chief Executive Officer of the Company and holds securities in the Company.

The information in this Presentation that relates to the Exploration Target at Root is based on activities carried out by Mr Luke Cox. Mr Cox has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and the activity they are undertaking to qualify as Competent Persons as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code 2012). Mr Cox consents to the inclusion in this Presentation of the matters based on the information in the form and context in which it appears in this Presentation. Mr Cox is the Chief Executive Officer of the Company and holds securities in the Company.

The information in this Presentation that relates to the Exploration Target at Wisa is based on activities carried out by Mr Luke Cox. Mr Cox has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and the activity they are undertaking to qualify as Competent Persons as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves (JORC Code 2012). Mr Cox consents to the inclusion in this Presentation of the matters based on the information in the form and context in which it appears in this Presentation. Mr Cox is the Chief Executive Officer of the Company and holds securities in the Company.



